

# INFINITY PRINT SOLUTIONS



## Infinity Pay As You Go

### How it Works

Infinity Print Solutions will supply and install the printer with 2 sets of toner cartridges (one in the machine and 1 spare). In the costs of consumables, we include all labour costs of our service and maintenance call out capability (which is considerably more responsive than the Manufacturer's warranty service).

There are no long term contracts all we ask is you provide 30 days written notice if you wish to cancel this printer or your needs change and you require different options or facilities.

## Kyocera M6230cidn

### Cartridges

Cartridge	Yield @5%	Cost
TK-5270 BLACK	8000	£59.16
TK-5270 CYAN	6000	£59.16
TK-5270 YELLOW	6000	£59.16
TK-5270 MAGENTA	6000	£59.16

### Features

Size	A4 30ppm
Mode	COLOUR
Networking	YES
Duplex	YES
Scan and Copy	YES
Fax	NO

### Initial Cost

2 x Sets of cartridges	£473.28
Installation	£75.00
<b>Total Cost</b>	<b>£548.28</b>

### Key Benefits

Free printer for the duration you require it

Maintenance inclusive of parts, labour and call out

No long term commitment

No Volume of cartridge purchase commitment.

Upgrade or cancel with 30 days written notice

Reduce your printer costs

Reduce your carbon footprint

\*\*All prices shown are exclusive of V.A.T

\*set up and installation includes: administration costs plus plug in, connect to 2 PC's on the same operating system via USB or network or on a network server once to an existing printer location – additional work via quote, cables not included.



> PRINT > COPY > SCAN > FAX

**ECOSYS M6230cidn and  
ECOSYS M6630cidn**

COLOUR MULTIFUNCTIONAL  
FOR A4 FORMAT

# INTUITIVE COLOUR ALL-ROUNDERS



These new A4 colour devices are designed specifically for medium and large-sized work groups, offering both reliability and fast output speeds in both colour and b/w and now complying with the newest environmental standards. The convenient touch panels provide simple, direct access to the multifunctionals' numerous functions. What's more, dedicated program keys and KYOCERA's open solution platform HyPAS can help further optimize your document workflow. And for your bottom line it offers you an attractive TCO.

- > Up to 30 pages per minute in A4 in colour and b/w
- > Long-life components provide unprecedented efficiency and reliability
- > Compact design with full functionality
- > Double-sided print, copy, scan and fax (M6630cidn only) functionality as standard
- > 7-inch full-colour touch panel with home screen provides ease of use
- > Low power consumption saves energy
- > Remote Guidance and Operation for reducing management costs
- > HyPAS™ solution platform enables powerful customisations
- > Searchable PDF and Scan to MS Office with optional Scan Extension Kit



The ECOSYS M6230cidn and M6630cidn incorporate extremely durable components that guarantee efficient and reliable operation, to meet the demanding requirements of busy office environments. They combine effective productivity and maximum flexibility whilst ensuring minimum impact on the environment.

## GENERAL

**Technology:** KYOCERA ECOSYS, Laser, Colour, HyPAS™ solution platform  
**Operation panel:** 177.8 mm (7 inch) full-colour touch panel display, speaker for job notification, 10° - 20° swivel mounted  
**Type:** Desktop  
**Engine speed:** Up to 30 pages A4 per minute  
 Duplex print speed: 15 page per minute, A4  
 Duplex copy speed: 15 page per minute, A4  
**Resolution:** 1200 x 1200 dpi (print), 600 x 600 dpi (scan/copy)  
**Warm-up time:** Approx. 26 seconds or less  
**Time to first print:** Approx. 6.5/7.5 seconds or less in b/w / colour  
**Time to first copy:** Approx. 8.5/10 seconds or less in b/w / colour (DP), Approx. 7.5/9 seconds or less in b/w / colour (Platen Cover)  
**CPU:** ARM Cortex-A9 Dual core 1.2GHz + ARM Cortex-M3 100MHz  
**Memory:** Standard 1GB, Max. 3GB + 128GB SSD  
**Standard interface:** USB 2.0 (Hi-Speed), 2 x USB Host Interface, Gigabit Ethernet (10BaseT/100BaseTX/1000BaseT, IPv6, IPv4, IPSec, 802.3az support), optional Wi-Fi (IEEE 802.11b/g/n), 1 eKUIO slot for optional internal print server, Slot for optional SD Card  
**Integrated accounting:** 100 department codes  
**Dimensions (W x D x H):** 475 x 558 x 616 mm  
**Weight:** Approx. 35.4 kg  
**Power source:** AC 220 ~ 240 V, 50/60 Hz  
**Power consumption**  
 Printing: 496 W  
 Copying: 521 W  
 Low power mode: -- W  
 Ready mode: 70 W  
 Sleep-mode: 0.6 W  
**Noise (sound pressure level: ISO 7779/ISO 9296)**  
 Copying/Printing: 49.4 dB (A)  
 Stand-by: 29.4 dB (A)  
**Safety standards:** TÜV/GS, CE  
 This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

## PAPER HANDLING

All paper capacities quoted are based on paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.  
**Input capacity:**  
 100-sheet multi-purpose tray, 60–220 g/m<sup>2</sup>, A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (70 x 148 to 216 x 356 mm), 250-sheet Standard universal paper cassette, 60–163 g/m<sup>2</sup>, A4, A5, A6, B5, B6, Letter, Legal, Folio, Custom (105 x 148 to 216 x 356 mm). Max. input capacity with options: 1,850 sheets A4  
**Duplex unit:** Duplex as standard supports 60–163 g/m<sup>2</sup>, A4, A5, B5, Letter, Legal  
**Standard reversing document processor:** 75 sheets, 50–120 g/m<sup>2</sup>, A4, A5, A6, B5, Letter, Legal, Custom (105 x 148 to 216 x 356 mm)  
**Output capacity:** Max. 250 sheets face-down with paper full sensor

## PRINT FUNCTIONS

**Controller language:** PRESCRIBE II c  
**Emulations:** PCL6 (5c/XL), KPDL3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print  
**Operating systems:** All current Windows operating systems, MAC OS X Version 10.8 or higher, Unix, Linux as well as other operating systems on request  
**Fonts/barcodes:** 93 outline fonts (PCL), 93 fonts (KPDL 3), 8 fonts (Windows Vista), 1 Bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)  
**Print features:** Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, quick copy, proof and hold, private print, job storage and job management functionality  
**Mobile printing support:** KYOCERA Mobile Print app for iOS and Android, AirPrint, Mopria, Wi-Fi Direct, Google cloud print

## COPY FUNCTIONS

**Max. original size:** A4/Legal  
**Continuous copying:** 1–999  
**Zoom range:** 25–400% in 1% steps  
**Preset magnification ratios:** 7 Reductions / 5 Enlargements  
**Exposure mode:** Auto, manual: 9 steps  
**Image adjustments:** Text + Photo, Photo, Text, Map, Printed document  
**Features:** Scan-once-copy-many, electronic sort (collate), ID card copy, zini, 4ini, auto cassette change, Skip blank page

## SCAN FUNCTIONS

**Functionality:** Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Local/Network TWAIN, WIA, WSD scan  
**Scan speed:** 60 ipm (300 dpi, A4, b/w), 40 ipm (300 dpi, A4 colour), 26 ipm (300 dpi, A4, b/w) (Duplex), 17 ipm (300 dpi, A4 colour) (Duplex)  
**Scan resolution:** 600, 400, 300, 200 dpi, 256 greyscale per colour  
**Max. scan size:** A4, Legal  
**Original recognition:** Text, photo, text + photo, light text, optimised for OCR  
**File types:** TIFF, PDF, PDF/A, JPEG, XPS, Open XPS, Encrypted PDF, High compression PDF, PDF/A-1a/b, PDF/A-2a/b/u, MS Office file and Searchable PDF (optional Scan Extension Kit(A) is required)  
**Compression method:** MMR/JPEG  
**Features:** Colour scan, integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once, Blank page skip

## FAX FUNCTIONS (M6630cidn only)

**Compatibility:** ITU-T Super G3  
**Modem speed:** Max. 33.6 kbps  
**Transmission speed:** Max. 3 seconds (JBIG)  
**Scanning speed:** 2.0 seconds or less  
**Address book:** 200 entries

## Scanning density:

Normal: 8 dot/mm x 3.85 line/mm (200 x 100 dpi)  
 Fine: 8 dot/mm x 7.7 line/mm (200 x 200 dpi)  
 Superfine: 8 dot/mm x 15.4 line/mm (200 x 400 dpi)  
 Ultrafine: 16 dot/mm x 15.4 line/mm (400 x 400 dpi)  
 Halftone: 256 grey scales  
**Maximum original size:** A4/Legal  
**Compression method:** JBIG, MMR, MR, MH  
**Memory reception:** 256 sheets or more  
**Features:** Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

## CONSUMABLES

Average continuous toner yield in accordance ISO/IEC 19798  
**TK-5270K Toner Kit:** Micro fine black for 8,000 pages A4  
**TK-5270C, TK-5270M, TK-5270Y Toner Kits:** Micro fine toner cyan, magenta, yellow for 6,000 pages A4. Capacity of starter toner is black 3,500 pages, cyan, magenta, yellow 2,500 pages A4  
**SH-13 Staple cartridge:** 2 x 1,500 staples for MS-5100

## OPTIONS

**Scan Extension Kit (A):** Scan to searchable PDF (embedded OCR) or to MS Office (docx, xlsx, pptx)  
 \*HD-6, HD-7 or SD-card is needed.  
**Paper handling**  
**PF-5100 Paper feeder (max 3 units):** 500 sheets, 60–220 g/m<sup>2</sup>, A4, A5, B5, Letter, Legal, Custom (92 x 162 mm to 216 x 356 mm)  
**MS-5100 / MS-5100 B Stapler:** 20 sheets, one position semi-automatic stapling, includes 1,500 staples  
**HD-6 SSD:** 32 GB for easy document management  
**HD-7 SSD:** 128 GB for easy document management  
**Data Security Kit (E):** In line with ISO 15408 (Common Criteria) with security level EAL2  
 \*HD-6, HD-7 or SD-card is needed.  
**Memory upgrade:** 512MB/1GB/2GB  
**UG-33:** ThinPrint support  
**USB IC Card Reader + Card Authentication Kit (B):** Support for various authentication keys available  
**IC Card Reader Holder 10:** To integrate the USB IC Card  
**Optional interface:**  
 IB-36: Direct Wi-Fi Interface  
 IB-50: Gigabit-Ethernet board 10 BaseT/100 BaseTX/1,000 BaseT  
 IB-51: Wireless LAN Interface (802.11b/g/n)  
**CB-5100H Cabinet High:** Wooden desk with storage capacity. Approx. 39 cm x 53 cm x 50 cm (WxDxH)  
**CB-5100L Cabinet Low:** Wooden desk with storage capacity. Approx. 39 cm x 53 cm x 37 cm (WxDxH)

## WARRANTY

1-year warranty as standard.\*\* KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

**KYOLIFE** Up to 5-year on-site warranty extensions available for product and options.



KYOCERA Document Solutions Europe B.V  
 Bloemlaan 4 – 2132NP Hoofddorp – The Netherlands  
 Tel +31 (0)20 6540 000 – Fax +31(0)20 653 1256  
 www.kyoceradocumentsolutions.eu – info@deu.kyocera.com

KYOCERA Document Solutions Inc. – 2-28, 1-Chome – Tamatsukuri  
 Chuo-Ku – Osaka 540-8585 – Japan – www.kyoceradocumentsolutions.com

\* KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

\*\* Depending on the country

YOUR KYOCERA BUSINESS PARTNER

